



## Publication Report 2012

1. Adlbrecht C, Andreas M, Redwan B, Distelmaier K, Mascherbauer J, Kaider A, Wolzt M, Tilea IA, Neunteufl T, Delle-Karth G, Maurer G, Lang IM: Systemic endothelin receptor blockade in ST-segment elevation acute coronary syndrome protects the microvasculature: a randomised pilot study. *EuroIntervention* (2012) 7(12): 1386-1395; <https://doi.org/10.4244/EIJV7I12A218>
2. Ahlbrecht J, Dickmann B, Ay C, Dunkler D, Thaler J, Schmidinger M, Quehenberger P, Haitel A, Zielinski C, Pabinger I: Tumor grade is associated with venous thromboembolism in patients with cancer: results from the Vienna Cancer and Thrombosis Study. *J Clin Oncol* (2012) 30(31): 3870-3875; <https://doi.org/10.1200/JCO.2011.40.1810>
3. Andreas M, Schmid AI, Doberer D, Schewzow K, Weisshaar S, Heinze G, Bilban M, Moser E, Wolzt M: Heme arginate improves reperfusion patterns after ischemia: a randomized, placebo-controlled trial in healthy male subjects. *J Cardiovasc Magn Reson* (2012) 14(1): 55; <https://doi.org/10.1186/1532-429X-14-55>
4. Atamaniuk J, Gleiss A, Porpaczy E, Kainz B, Grunt TW, Raderer M, Hilgarth B, Drach J, Ludwig H, Gisslinger H, Jaeger U, Gaiger A: Overexpression of G protein-coupled receptor 5D in the bone marrow is associated with poor prognosis in patients with multiple myeloma. *Eur J Clin Invest* (2012) 42(9): 953-960; <https://doi.org/10.1111/j.1365-2362.2012.02679.x>
5. Ay C, Dunkler D, Pirker R, Thaler J, Quehenberger P, Wagner O, Zielinski C, Pabinger I: High D-dimer levels are associated with poor prognosis in cancer patients. *Haematologica* (2012) 97(8): 1158-1164; <https://doi.org/10.3324/haematol.2011.054718>
6. Ay C, Kaider A, Koder S, Husslein P, Pabinger I: Association of elevated soluble P-selectin levels with fetal loss in women with a history of venous thromboembolism. *Thromb Res* (2012) 129(6): 725-728; <https://doi.org/10.1016/j.thromres.2011.11.032>
7. Badr Eslam R, Gremmel T, Schneller A, Stegellner M, Kaider A, Mannhalter C, Lang I, Panzer S: High levels of platelet-monocyte aggregates after valve replacement for aortic stenosis: relation to soluble P-selectin and P-selectin glycoprotein ligand-1 genes. *Thromb Res* (2012) 129(4): 453-458; <https://doi.org/10.1016/j.thromres.2011.07.021>
8. Bannert C, Reinhart K, Dunkler D, Trauner M, Renner F, Knoflach P, Ferlitsch A, Weiss W, Ferlitsch M: Sedation in screening colonoscopy: impact on quality indicators and complications. *Am J Gastroenterol* (2012) 107(12): 1837-1848; <https://doi.org/10.1038/ajg.2012.347>
9. Benkoe T, Reck C, Gleiss A, Kettner S, Repa A, Horcher E, Rebhandl W: Interleukin 8 correlates with intestinal involvement in surgically treated infants with necrotizing enterocolitis. *J Pediatr Surg* (2012) 47(8): 1548-1554; <https://doi.org/10.1016/j.jpedsurg.2011.11.049>
10. Berghoff AS, Stefanits H, Heinzl H, Preusser M: Clinical Neuropathology Practice News 4-2012: levels of evidence for brain tumor biomarkers. *Clin Neuropathol* (2012) 31(4): 206-209; <https://doi.org/10.5414/np300511>
11. Bonderman D, Wexberg P, Heinzl H, Lang IM: Non-invasive algorithms for the diagnosis of pulmonary hypertension. *Thromb Haemost* (2012) 108(6): 1037-1041; <https://doi.org/10.1160/TH12-04-0239>
12. Brunner A, Hinterholzer S, Riss P, Heinze G, Brustmann H: Immunoexpression of B7-H3 in endometrial cancer: relation to tumor T-cell infiltration and prognosis. *Gynecol Oncol* (2012) 124(1): 105-111; <https://doi.org/10.1016/j.ygyno.2011.09.012>



13. Brunner A, Riss P, Heinze G, Brustmann H: pHH3 and survivin are co-expressed in high-risk endometrial cancer and are prognostic relevant. *Br J Cancer* (2012) 107(1): 84-90; <https://doi.org/10.1038/bjc.2012.198>
14. Dunavoelgyi R, Dieckmann K, Gleiss A, Sacu S, Kircher K, Georgopoulos M, Georg D, Zehetmayer M, Poetter R: Radiogenic side effects after hypofractionated stereotactic photon radiotherapy of choroidal melanoma in 212 patients treated between 1997 and 2007. *Int J Radiat Oncol Biol Phys* (2012) 83(1): 121-128; <https://doi.org/10.1016/j.ijrobp.2011.06.1957>
15. Eberlein T, Haemmerle G, Signer M, Gruber Moesenbacher U, Traber J, Mittlboeck M, Abel M, Strohal R: Comparison of PHMB-containing dressing and silver dressings in patients with critically colonised or locally infected wounds. *J Wound Care* (2012) 21(1): 12, 14-16, 18-20; <https://doi.org/10.12968/jowc.2012.21.1.12>
16. Eischer L, Tscholl V, Heinze G, Traby L, Kyrle PA, Eichinger S: Hematocrit and the risk of recurrent venous thrombosis: a prospective cohort study. *PLoS ONE* (2012) 7(6): e38705; <https://doi.org/10.1371/journal.pone.0038705>
17. Exner R, Krois W, Mittlboeck M, Dubsy P, Jakesz R, Gnant M, Fitzal F: Objectively measured breast symmetry has no influence on quality of life in breast cancer patients. *Eur J Surg Oncol* (2012) 38(2): 130-136; <https://doi.org/10.1016/j.ejso.2011.10.012>
18. Fitzal F, Mittlboeck M, Steger G, Bartsch R, Rudas M, Dubsy P, Riedl O, Jakesz R, Gnant M: Neoadjuvant chemotherapy increases the rate of breast conservation in lobular-type breast cancer patients. *Ann Surg Oncol* (2012) 19(2): 519-526; <https://doi.org/10.1245/s10434-011-1879-9>
19. Gobl CS, Bozkurt L, Rivic P, Schernthaner G, Weitgasser R, Pacini G, Mittlboeck M, Bancher-Todesca D, Lechleitner M, Kautzky-Willer A: A two-step screening algorithm including fasting plasma glucose measurement and a risk estimation model is an accurate strategy for detecting gestational diabetes mellitus. *Diabetologia* (2012) 55(12): 3173-3181; <https://doi.org/10.1007/s00125-012-2726-7>
20. Grasl MC, Pokieser P, Gleiss A, Brandstaetter J, Sigmund T, Erovic BM, Fischer MR: A new blended learning concept for medical students in otolaryngology. *Arch Otolaryngol Head Neck Surg* (2012) 138(4): 358-366; <https://doi.org/10.1001/archoto.2012.145>
21. Gremmel T, Fruhwirth K, Kopp CW, Kaider A, Steiner S, Bakchoul T, Sachs UJ, Koppensteiner R, Panzer S: Frequency of heparin/platelet factor 4-dependent platelet antibodies in patients undergoing angioplasty and stenting for cardiovascular disease and their role for on-clopidogrel platelet reactivity. *Clin Res Cardiol* (2012) 101(6): 445-452; <https://doi.org/10.1007/s00392-011-0411-3>
22. Grimm C, Polterauer S, Natter C, Rahhal J, Hefler L, Tempfer CB, Heinze G, Stary G, Reinthaller A, Speiser P: Treatment of cervical intraepithelial neoplasia with topical imiquimod: a randomized controlled trial. *Obstet Gynecol* (2012) 120(1): 152-159; <https://doi.org/10.1097/AOG.0b013e31825bc6e8>
23. Haidinger T, Zweimuller M, Stutz L, Demir D, Kaider A, Strametz-Juranek J: Effect of gender on awareness of cardiovascular risk factors, preventive action taken, and barriers to cardiovascular health in a group of Austrian subjects. *Gen Med* (2012) 9(2): 94-102; <https://doi.org/10.1016/j.genm.2012.02.001>
24. Heinze G: Although we appreciate the authors' efforts in conducting their comparative study, we disagree with some of the conclusions drawn. *Stat Methods Med Res* (2012) 21(6): 660-661; author reply 665-667; <https://doi.org/10.1177/0962280212440533>



25. Heinzel A, Fechete R, Söllner J, Perco P, Heinze G, Oberbauer R, Mayer G, Lukas A, Mayer B: Data Graphs for Linking Clinical Phenotype and Molecular Feature Space. *International Journal of Systems Biology and Biomedical Technologies* (2012) 1(1): 11-25; <https://doi.org/10.4018/ijssbt.2012010102>
26. Heinzl H, Waldhoer T: Relevance of the type III error in epidemiological maps. *Int J Health Geogr* (2012) 11(34): 34; <https://doi.org/10.1186/1476-072X-11-34>
27. Keck M, Selig HF, Lumenta DB, Kamolz LP, Mittlbock M, Frey M: The use of Suprathel((R)) in deep dermal burns: first results of a prospective study. *Burns* (2012) 38(3): 388-395; <https://doi.org/10.1016/j.burns.2011.09.026>
28. Kerschán-Schindl K, Patsch J, Kudlacek S, Gleiss A, Pietschmann P: Measuring quality of life with the German Osteoporosis Quality of Life Questionnaire in women with osteoporosis. *Wien Klin Wochenschr* (2012) 124(15-16): 532-537; <https://doi.org/10.1007/s00508-012-0212-3>
29. Kerschán-Schindl K, Riss P, Krestan C, Rauner M, Bieglmayer C, Gleiss A, Fialka-Moser V, Niederle B, Pietschmann P: Bone metabolism in patients with primary hyperparathyroidism before and after surgery. *Horm Metab Res* (2012) 44(6): 476-481; <https://doi.org/10.1055/s-0032-1308998>
30. Kolb A, Grubl A, Schneckener CD, Chiari C, Kaider A, Lass R, Windhager R: Cementless total hip arthroplasty with the rectangular titanium Zweymüller stem: a concise follow-up, at a minimum of twenty years, of previous reports. *J Bone Joint Surg Am* (2012) 94(18): 1681-1684; <https://doi.org/10.2106/JBJS.K.01574>
31. Krishnamurthy D, Starkl P, Szalai K, Roth-Walter F, Diesner SC, Mittlboeck M, Mannhalter C, Untersmayr E, Jensen-Jarolim E: Monitoring neutrophils and platelets during casein-induced anaphylaxis in an experimental BALB/c mouse model. *Clin Exp Allergy* (2012) 42(7): 1119-1128; <https://doi.org/10.1111/j.1365-2222.2012.04012.x>
32. Michalek-Sauberer A, Gusenleitner E, Gleiss A, Tepper G, Deusch E: Auricular acupuncture effectively reduces state anxiety before dental treatment--a randomised controlled trial. *Clin Oral Invest* (2012) 16(6): 1517-1522; <https://doi.org/10.1007/s00784-011-0662-4>
33. Mittlbock M, Edler L, LeBlanc M, Niland J, Zwinderman K: Second Issue for Computational Statistics for Clinical Research. *Computational Statistics & Data Analysis* (2012) 56(5): 995-997; <https://doi.org/10.1016/j.csda.2012.01.007>
34. Monov G, Vasak C, Gahleitner A, Mittlboeck M, Ulm C, Tangl S: A histomorphometric study of short and normal implants in human cadavers. *International Journal of Stomatology & Occlusion Medicine* (2012) 6(4): 151-156; <https://doi.org/10.1007/s12548-012-0036-9>
35. Naderi-Heiden A, Gleiss A, Backer C, Bieber D, Nassan-Agha H, Kasper S, Frey R: Mortality and employment after in-patient opiate detoxification. *Eur Psychiatry* (2012) 27(4): 294-300; <https://doi.org/10.1016/j.eurpsy.2010.05.002>
36. Pabinger I, Vossen CY, Lang J, Conard J, Garcia-Dabrio MC, Miesbach W, Legnani C, Svensson P, Kaider A, Rosendaal FR: Mortality and inherited thrombophilia: results from the European Prospective Cohort on Thrombophilia. *J Thromb Haemost* (2012) 10(2): 217-222; <https://doi.org/10.1111/j.1538-7836.2011.04573.x>
37. Perisanidis C, Dettke M, Papadogeorgakis N, Schoppmann A, Mittlbock M, Kyzas PA, Ewers R, Seemann R: Transfusion of allogenic leukocyte-depleted packed red blood cells is associated with postoperative morbidity in patients undergoing oral and oropharyngeal cancer surgery. *Oral Oncol* (2012) 48(4): 372-378; <https://doi.org/10.1016/j.oraloncology.2011.11.020>



38. Perisanidis C, Herberger B, Papadogeorgakis N, Seemann R, Eder-Czemberek C, Tamandl D, Heinze G, Kyzas PA, Kanatas A, Mitchell D, Wolff KD, Ewers R: Complications after free flap surgery: do we need a standardized classification of surgical complications? *Br J Oral Maxillofac Surg* (2012) 50(2): 113-118; <https://doi.org/10.1016/j.bjoms.2011.01.013>
39. Piechota-Polanczyk A, Goraca A, Demyanets S, Mittlboeck M, Domenig C, Neumayer C, Wojta J, Nanobachvili J, Huk I, Klingler M: Simvastatin decreases free radicals formation in the human abdominal aortic aneurysm wall via NF-kappaB. *Eur J Vasc Endovasc Surg* (2012) 44(2): 133-137; <https://doi.org/10.1016/j.ejvs.2012.04.020>
40. Pils D, Hager G, Tong D, Aust S, Heinze G, Kohl M, Schuster E, Wolf A, Sehouli J, Braicu I, Vergote I, Cadron I, Mahner S, Hofstetter G, Speiser P, Zeillinger R: Validating the impact of a molecular subtype in ovarian cancer on outcomes: a study of the OVCAD Consortium. *Cancer Sci* (2012) 103(7): 1334-1341; <https://doi.org/10.1111/j.1349-7006.2012.02306.x>
41. Pohl G, Marosi C, Dieckmann K, Goldner G, Elandt K, Hassler M, Schemper M, Strasser-Weippl K, Nauck F, Gaertner J, Watzke H: Evaluation of diagnostic and treatment approaches towards acute dyspnea in a palliative care setting among medical students at the University of Vienna. *Wien Med Wochenschr* (2012) 162(1-2): 18-28; <https://doi.org/10.1007/s10354-011-0046-z>
42. Preusser M, Fulop G, Berghoff AS, Heinzl H, Steger GG, Greil R, Zielinski CC, Bartsch R: Influence of the American ODAC statement on Austrian bevacizumab prescribing practice for metastatic breast cancer. *Oncologist* (2012) 17(7): e13-17; <https://doi.org/10.1634/theoncologist.2012-0115>
43. Preusser M, Hoeffberger R, Woehrer A, Gelpi E, Kouwenhoven M, Kros JM, Sanson M, Idbaih A, Brandes AA, Heinzl H, Gorlia T, Hainfellner JA, van den Bent M: Prognostic value of Ki67 index in anaplastic oligodendroglial tumours--a translational study of the European Organization for Research and Treatment of Cancer Brain Tumor Group. *Histopathology* (2012) 60(6): 885-894; <https://doi.org/10.1111/j.1365-2559.2011.04134.x>
44. Probst A, Humpeler S, Heinzl H, Blasche G, Ekmekcioglu C: Short-term effect of macronutrient composition and glycemic index of a yoghurt breakfast on satiety and mood in healthy young men. *Forsch Komplementmed* (2012) 19(5): 247-251; <https://doi.org/10.1159/000343163>
45. Puchhammer-Stockl E, Aberle SW, Heinzl H: Association of age and gender with alphaherpesvirus infections of the central nervous system in the immunocompetent host. *J Clin Virol* (2012) 53(4): 356-359; <https://doi.org/10.1016/j.jcv.2011.12.015>
46. Riss S, Bittermann C, Schwameis K, Kristo I, Mittlboeck M, Herbst F, Stift A: Determinants for postoperative complications after laparoscopic intestinal resection for Crohn's disease. *Surg Endosc* (2012) 26(4): 933-938; <https://doi.org/10.1007/s00464-011-1970-0>
47. Riss S, Weiser FA, Schwameis K, Riss T, Mittlboeck M, Steiner G, Stift A: The prevalence of hemorrhoids in adults. *Int J Colorectal Dis* (2012) 27(2): 215-220; <https://doi.org/10.1007/s00384-011-1316-3>
48. Ruetzler K, Sima B, Mayer L, Golescu A, Dunkler D, Jaeger W, Hoeflerl M, You J, Sessler DI, Grubhofer G, Hutschala D: Lidocaine/tetracaine patch (Rapydan) for topical anaesthesia before arterial access: a double-blind, randomized trial. *Br J Anaesth* (2012) 109(5): 790-796; <https://doi.org/10.1093/bja/aes254>
49. Sadushi-Kolici R, Skoro-Sajer N, Zimmer D, Bonderman D, Schemper M, Klepetko W, Glatz J, Jakowitsch J, Lang IM: Long-term treatment, tolerability, and survival with sub-cutaneous treprostinil for severe pulmonary hypertension. *J Heart Lung Transplant* (2012) 31(7): 735-743; <https://doi.org/10.1016/j.healun.2012.02.025>



50. Schoppmann SF, Berghoff A, Dinhof C, Jakesz R, Gnant M, Dubsy P, Jesch B, Heinzl H, Birner P: Podoplanin-expressing cancer-associated fibroblasts are associated with poor prognosis in invasive breast cancer. *Breast Cancer Res Treat* (2012) 134(1): 237-244; <https://doi.org/10.1007/s10549-012-1984-x>
51. Sulzbacher F, Kiss C, Kaider A, Eisenkoelbl S, Munk M, Roberts P, Sacu S, Schmidt-Erfurth U: Correlation of SD-OCT features and retinal sensitivity in neovascular age-related macular degeneration. *Invest Ophthalmol Vis Sci* (2012) 53(10): 6448-6455; <https://doi.org/10.1167/iovs.11-9162>
52. Thaler J, Ay C, Mackman N, Bertina RM, Kaider A, Marosi C, Key NS, Barcel DA, Scheithauer W, Kornek G, Zielinski C, Pabinger I: Microparticle-associated tissue factor activity, venous thromboembolism and mortality in pancreatic, gastric, colorectal and brain cancer patients. *J Thromb Haemost* (2012) 10(7): 1363-1370; <https://doi.org/10.1111/j.1538-7836.2012.04754.x>
53. Tomi N, Weiser R, Strohal R, Mittlboeck M: A liquid-film forming acrylate cream for the treatment of anal pruritus. *Br J Nurs* (2012) 21(2): 98, 100-102; <https://doi.org/10.12968/bjon.2012.21.2.98>
54. Vyskocil E, Pfaffenberger S, Kollmann C, Gleiss A, Nawratil G, Kastl S, Unger E, Aumayr K, Schuhfried O, Huber K, Wojta J, Gottsauner-Wolf M: Thermal effects of diagnostic ultrasound in an anthropomorphic skull model. *Ultraschall Med* (2012) 33(7): E313-E320; <https://doi.org/10.1055/s-0032-1312924>